## GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public Services – Bheemili Municipality – Departmental proceedings under Rule – 20 of APSC (CC&A) Rules – Certain irregularities committed by Late V. Ramu, Municipal Assistant Engineer – Enquiry conducted – Enquiry Report submitted – Further Action abated – Orders – Issued.

\_\_\_\_\_\_

Municipal Administration & Urban Development (E2) Department

G.O.Rt.No. 161

Dated: 29.01.2009 Read the following:

- From the GA (V&E) Dept., VR No.76(66/V&E/D1/04, Dated 13.08.2002
- 2. G.O.Rt.No.750 MA&UD (E2) Dept., Dated 16.07.2004
- 3. G.O.Rt.No.1447 MA&UD (E2) Dept., Datd 20.12.2004
- 4. From Smt. Asha Jyothi, Additional Commissioner, Municipal Corporation of Visakhapatnam, Rc.No.01/2005/ADD, Dated 01.08.2005
- 5. Government Memo.No.6188 / E2 / 2004-9, Dated 05.08.2006
- 6. Explanation of Sri V Ramu, MAE, Bheemunipatnam Municipality
- 7. G.O.Rt.No.805 MA&UD (E2) Dept., Dated 05.06.2008
- 8. From V Rajyalaxmi, W/o Late V Ramu, Representation Dated 06.01.2009

\* \* \*

## **ORDER:**

It has been reported by the Investigating Agency that Sri V Ramu, Municipal Assistant Engineer and other of Bheemunipatnam Municipality committed certain irregularities in execution of NSDP works at Bheemili Municipality.

- 2. In the reference 2<sup>nd</sup> read above, charges were framed and served on the said officer. Further, in the reference 3<sup>rd</sup> read above, Government have appointed Smt Asha Jyothi, the then Additional Commissioner, Municipal Corporation Visakhapatnam Municipal Corporation as Enquiry Officer to enquire into the charges framed against Sri V Ramu, Municipal Assistant Engineer Bheemili Municipality and others. In the reference 4<sup>th</sup> read above, the Enquiry Officer has submitted her enquiry report stating that the charges are held proved against Sri V Ramu, Municipal Assistant Engineer.
- 3. Government after following procedure and after careful examination of the matter have issued orders cited reference 7<sup>th</sup> read above imposing the punishment of stoppage of one increment without cumulative effect on Sri V Ramu, Municipal Assistant Engineer.

- 4. In the reference 8<sup>th</sup> read above, Smt v Rajyalakshmi, W/o Late V Ramu, Municipal Assistant Engineer has represented to the Government to withdraw the charges framed against her husband (Late Sri V Ramu, Municipal Assistant Engineer) so as to enable her to get pension and pensionary benefits. She has also requested to appoint her eldest sone (who is a Engineering graduate) in a suitable employment on compassionate grounds.
- 5. Government after careful examination of the matter have decided to rescind the punishment and further action abated against Late V Ramu, Municipal Assistant Engineer. Accordingly hereby order to abate further action against him.
- 6. The Engineer-in-Chief (Public Health) is requested to appoint eldest son Sri Vanapalli Balaji Appala Badram, S/o of Late V Ramu, Municipal Assistant Engineer as per rules within 15 days.
- 7. The Engineer-in chief (Public Health), Hyderabad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

## Dr. C.V.S.K. SARMA, PRINCIPAL SECRETARY TO GOVERNMENT

To The Engineer-in-Chief (Public Health) Hyderabad

Copy to:
Smt. V Rajyalakshmi
W/o Late V Ramu,
Door.No.9-6-20/3,
Sivajipalem,
Visakhapatnam
The GA (V&E) Department
Andhra Pradesh Vigilance Commission
MA&UD (C) Department
Sf/Sc

// FORWARDED :: BY ORDER //

**SECTION OFFICER**